

CONTROL APPROVAL SYMBOL  
SPMCS-85




# WEEKLY HEALTH REPORT

## CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDING 2 NOVEMBER 1945

SPECIAL SECTION  
ON  
VENEREAL DISEASES

ARMY  
MEDICAL  
FEB 26 1946  
LIBRARY



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED  
PER 1000 STRENGTH

DISEASE INJURY

THIS DOCUMENT CONTAINS INFORMATION  
AFFECTING THE NATIONAL DEFENSE OF THE  
UNITED STATES WITHIN THE MEANING OF THE  
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS  
AMENDED. ITS TRANSMISSION OR THE REVELA-  
TION OF ITS CONTENTS IN ANY MANNER TO AN  
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.



# WEEKLY HEALTH REPORT

## CONTENTS

### DATA FOR WEEK ENDING 2 NOVEMBER 1945

	PAGE
NATURE OF THE DATA . . . . .	2
COMMENT ON CURRENT TRENDS . . . . .	5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS . . . . .	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS ) HAVING A STRENGTH OF 5000 OR OVER . . . . .	13
STATIONS WITH HIGHEST MORBIDITY RATES . . . . .	22
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST . . . . .	23

### VENEREAL DISEASE ADMISSION RATES IN SEPTEMBER

COMMENT ON CURRENT TRENDS . . . . .	24
MORBIDITY DATA FOR INDIVIDUAL STATIONS WITH COLORED STRENGTH OF 1000 OR MORE . . . . .	33



# WEEKLY HEALTH REPORT

## NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

### MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes; including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for each of the Service Commands. More significant is the estimated non-effective rate for personnel stationed in the United States shown in the chart on page 7.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

### MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

### STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

### EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.




# MORBIDITY FROM

RESTRICTED

ALL CAUSES

DISEASE ONLY

CONTINENTAL UNITED STATES




RESTRICTED

RESTRICTED

# MORBIDITY FROM — INJURY

CONTINENTAL UNITED STATES



RESTRICTED



## COMMENT ON CURRENT TRENDS

MORBIDITY FROM: ALL CAUSES, DISEASE, INJURY

Morbidity from all causes during the week ended 2 November decreased by 2 percent as compared with the previous week, being reported at 434 per thousand strength per year.

INJURY:

The admission rate from injury increased to 31 per thousand from the low rate of 29 reported last week. Weekly variations in the admission rate for injuries are shown in the chart on the opposite page; it should be noted that the decline in the rate during the last three months of 1944 is due to a re-definition of "injury" published in September of that year ("Non-battle injury" admissions were therein defined as excluding "readmissions"). The sharp decline since V-E day has been due more to the rapid discontinuing of "dangerous" training activities than to any other factors.

The Ninth Service Command continued to report the highest rate for injuries (37 per thousand); other service commands had rates under 35 per thousand.

DISEASES:

Morbidity from all diseases in the United States as a whole decreased slightly (by 2 percent) to 443 per thousand (9 percent under the rate for the corresponding week of last year).

An increase of 16 percent in disease morbidity took place in the First Service Command (although the rate for common respiratory diseases decreased by 10 percent in the same period), while a decrease of 8 percent occurred in the Second Service Command. Rates remained substantially unchanged in other service commands, ranging from 401 in the Sixth Service Command to 533 per thousand in the Third and 559 per thousand in the Military District of Washington.

Respiratory Diseases:

The rate for colds, influenza, etc, decreased by 5 percent in the United States as a whole during the week, reaching 82 per thousand, as compared with last year's corresponding rate of 93.

Increases over the preceding week were reported in the Second Service Command (76 to 86), the Fourth Service Command (68 to 72), the Seventh Service Command (83 to 92), the Ninth Service Command (81 to 86), and the MDW (128 to 131).

The admission rate for pneumonia rose from 9 to 10 per thousand, increasing in all service commands except the Second, Third, and the MDW.




# MORBIDITY FROM PNEUMONIA

RESTRICTED

----- COLDS, INFLUENZA, ETC.

CONTINENTAL UNITED STATES



RESTRICTED




## MORBIDITY FROM

ALL CAUSES

----- DISEASE ONLY

..... COLDS, INFLUENZA, ETC.

VARIATIONS BY SERVICE COMMAND  
CONTINENTAL UNITED STATES


RESTRICTED



RESTRICTED


# NON-EFFECTIVE RATE

CONTINENTAL UNITED STATES



# PATIENTS REMAINING UNDER TREATMENT

CONTINENTAL UNITED STATES



RESTRICTED



## COMMENT ON CURRENT TRENDS (CONT'D)

Venereal Diseases:

Morbidity from venereal diseases (excluding EPTS cases) decreased by 14 percent during the week to reach 58 per thousand per annum. This reflects in part the normal cyclical trend during the month, since the lowest rate usually occurs during the first week, followed by a rise thereafter until the end of month.

The highest morbidity from these causes was experienced in the Third Service Command, where the rate increased slightly during the week to reach 110 admissions per thousand men per annum. Other increases occurred in the First Service Command (35 to 37 per thousand) and the MDW (26 to 38 per thousand). Decreases in other service commands were more or less typical for the first week in the month. Morbidity from these causes was highest in the Third Service Command, ranging upward from rates under 40 in the First, Second and Ninth Service Command and the MDW.

Other Communicable Diseases:

Morbidity from diarrhea and dysentery remained low (4 per thousand); no service command reported a rate in excess of 8 per thousand.

Five hundred thirty-five cases of scabies were reported during the week as having been excused from duty for treatment.

NON-EFFECTIVE RATE:

The non-effective rate for personnel stationed in the continental United States is estimated at 28.9 per thousand strength for the week ended 2 November as compared with 33.9 per thousand for the corresponding week of 1944. The mean number of non-effectives in this country, including evacuees from overseas, increased to 74.9 per thousand troops in the United States. This increase in the rate is due entirely to decreases in the strength of the Army in the continental United States.

PATIENTS REMAINING UNDER TREATMENT: 2 NOVEMBER 1945:

The number of neuropsychiatric cases remaining was 17,864 or about 1600 fewer than at the end of the previous week. Non-battle injury patients remaining numbered about 35,700. The number of battle casualty patients remaining decreased by about 4000 to number 61,400.

CERTIFICATES OF DISABILITY FOR DISCHARGE:

In the week ended 2 November there were 10,035 enlisted personnel discharged by CDD, a decrease of about 1000 as compared with the previous week. Forty-eight percent of these discharges were reported by general hospitals and 34 percent by convalescent hospitals. Among these CDD's were 2247 neuropsychiatric cases, a decrease of about 200 as compared with the previous week.



# CERTIFICATES OF DISABILITY FOR DISCHARGE

## CONTINENTAL UNITED STATES



RESTRICTED



# WEEKLY HEALTH REPORT

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH		A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
			ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH											
			ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC. *		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. EPTI)					
C U R R E N T      W E E K      C O M P A R E D      W I T H      P R E V I O U S      W E E K																				
	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week		
TOTAL UNITED STATES	2931243	3091791	474	483	443	454	31	29	82	86	10	9	4	5	58	66	75	73		
FIRST SERVICE COMMAND	100143	116126	504	438	483	416	21	22	69	76	5	4	8	7	37	35	131	119		
SECOND SERVICE COMMAND	200266	210358	524	555	490	528	34	27	86	76	12	12	2	7	38	53	116	114		
THIRD SERVICE COMMAND	208521	209205	554	591	533	563	21	28	91	99	8	9	2	3	110	108	87	89		
MIL. DIST. OF WASHINGTON	58246	50548	593	560	559	540	34	20	131	128	15	15	1?	3?	38	26	73	72		
FOURTH SERVICE COMMAND	638415	668184	443	445	411	412	32	33	72	68	14	12	3	5	73	80	59	59		
FIFTH SERVICE COMMAND	185658	192098	455	449	421	421	34	28	89	92	9	6	4	4	53	71	107	107		
SIXTH SERVICE COMMAND	182772	192811	428	448	401	420	27	28	63	60	9	8	2	3	48	55	94	90		
SEVENTH SERVICE COMMAND	284112	302011	508	499	481	474	27	25	92	83	8	7	3	3	68	81	73	69		
EIGHTH SERVICE COMMAND	562971	501555	458	479	429	452	29	27	83	116	10	9	4	5	49	66	59	56		
NINTH SERVICE COMMAND	510239	538884	461	484	424	449	37	35	86	81	9	6	5	5	39	40	64	63		
C U R R E N T      Y E A R      T O      D A T E      C O M P A R E D      W I T H      C O R R E S P O N D I N G      P E R I O D      P R E V I O U S      Y E A R																				
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year		
TOTAL UNITED STATES	3079362	4147263	565	640	520	571	45	69	115	153	11	12	7	9	48	32	85	39		
FIRST SERVICE COMMAND	91841	109486	550	623	516	564	34	59	96	163	6	11	7	8	43	33	149	40		
SECOND SERVICE COMMAND	201578	216878	599	735	562	675	37	60	108	201	8	11	7	9	47	42	115	49		
THIRD SERVICE COMMAND	201221	287000	580	695	546	633	34	62	112	184	10	14	5	7	65	34	105	42		
MIL. DIST. OF WASHINGTON	54396	61550	583	679	547	636	36	43	136	163	9	17	6	4	24	15	73	69		
FOURTH SERVICE COMMAND	731004	1115195	560	628	507	555	53	73	101	129	12	11	8	12	53	32	72	34		
FIFTH SERVICE COMMAND	162840	193340	529	660	490	593	39	67	120	160	12	13	7	12	55	46	156	58		
SIXTH SERVICE COMMAND	139848	168009	546	696	515	639	31	57	114	201	12	20	4	4	49	37	120	43		
SEVENTH SERVICE COMMAND	295732	391801	525	696	489	633	36	63	113	211	8	19	5	9	50	30	82	40		
EIGHTH SERVICE COMMAND	554545	947522	575	587	523	514	52	73	133	127	14	10	7	9	43	31	61	34		
NINTH SERVICE COMMAND	515254	676482	582	627	534	556	48	71	113	150	7	9	6	7	40	27	73	40		

FORM 98-3968 REVISED 13 NOVEMBER 1943

RESTRICTED

24-59918ABCD

\*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Mesopharyngitis, Acute Laryngitis, and Influenza

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



## WEEKLY HEALTH REPORT

RESTRICTED

VOLUME 7 REPORT NO. 44  
WEEK ENDING 2 November 1945

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	2931243	15	63	26	5	22	429	186	7	373	148	47	535	79	40	34	5	10035
FIRST SERVICE COMMAND	100143			1		2	8	7		15	9		11	4	2	2		850
SECOND SERVICE COMMAND	200266		4	1		2	34	27		30	6		30	5	3	1	1	999
THIRD SERVICE COMMAND	208521		5	1	1	1	16	29		30	2	3	34	6	1	4	1	734
MIL. DIST. OF WASHINGTON	58246		1				14	2	2	3	3		16	2	2			104
FOURTH SERVICE COMMAND	638415	6	11	5	1	6	144	34	1	36	27	1	128	11	4	6	1	1728
FIFTH SERVICE COMMAND	185558		2	1	1	1	19	10		32	7	10	34	11	1	10		902
SIXTH SERVICE COMMAND	182772			2			16	26		40	8	2	41	9	8		1	810
SEVENTH SERVICE COMMAND	284112	2	8	2	1	2	32	12	1	47	16	2	131	8	5	2	1	1152
EIGHTH SERVICE COMMAND	562971	3	9	6		5	87	23	3	53	50	10	42	10	7	3		1297
NINTH SERVICE COMMAND	510239	4	23	7	1	3	59	16		87	20	19	68	13	7	6		1459
P R E V I O U S W E E K																		
TOTAL UNITED STATES	3091791	17	75	13	7	42	396	165	1	341	159	46	572	96	43	50	3	11044
FIRST SERVICE COMMAND	116126		1			1	6	3		13	9		14	5	1	4		1013
SECOND SERVICE COMMAND	210358					1	23	29		36	1	3	39	9	3	6		980
THIRD SERVICE COMMAND	209205		5			12	20	24		18	16	5	28	4	2	1	1	904
MIL. DIST. OF WASHINGTON	60548			2	1	2	14	4		8	6		30	7	6	1		97
FOURTH SERVICE COMMAND	668184	6	12	3	2	4	139	16		47	24	4	108	16	5	10	1	1895
FIFTH SERVICE COMMAND	192098		1	1			13	8		21	17	3	30	4	1	3		1086
SIXTH SERVICE COMMAND	192811	1	6			3	13	25		49	22	3	52	5	3	2		865
SEVENTH SERVICE COMMAND	302011	2	15	1	2	3	35	12	1	41	31	9	139	14	9	4	1	1130
EIGHTH SERVICE COMMAND	601566	3	15	2	1	3	86	24		53	26	8	56	12	8	4		1552
NINTH SERVICE COMMAND	538884	5	20	4	1	13	47	20		55	7	11	76	20	5	15		1522

FORM SG-396C REVISED 2 DEC. 1944

\* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



VOLUME V REPORT NO. 44  
WEEK ENDING 2 Nov. 194 5

# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIAHRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIRST SERVICE COMMAND	100143	504	483	21	69	5	8	37			1		2	8	7	4	2	2	850
Boston PoE, Mass.	15876	491	475	16?	88	7?		72						2					2
Devens, Ft., Mass.	38484	419	411	8	34	1?	7?	16			1		2	1	1	1		1	
Westover Field, Mass. (RH)	8049	336	330	6?	32?	19?		58						3					3
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	37734	634	594	40	103	4?	15	39						2	6	3	2	1	845
SECOND SERVICE COMMAND	200266	524	490	34	86	12	2	38		4	1		2	34	27	5	3	1	999
Dix, Ft., N. J.	67851	359	357	2?	48	8		30						10	7				8
Kilmer, Cp., N. J.	13972	477	432	45	71	19?		71					1	4	12				7
Mitchel Field, N. Y. (RH)	7617	553	505	48	42	21?		83		2				1		1	1		26
Monmouth, Ft., N. J. (RH)	13739	417	379	38	61			11?							3				25
New York PoE, N. Y.	7307	263	256	7?	36?	7?		36?											
Shanks, Cp., N. Y.	9810	628	590	38	38			60							1				6
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	80270	699	639	60	139	19	6	38		2	1		1	19	4	4	2	1	927

FORM 96-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

# WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
THIRD SERVICE COMMAND	208521	554	533	21	91	8	2	110		5	1	1	1	16	29	6	1	4	734
Aberdeen Prov. Grd., Md.	14727	844	830	14?	378	11?		42		1				3					9
Geo. G. Meade, Ft., Md. (RH)	34823	689	688	1?	99	13		182				1		3	1				18
Indiantown Gap, Pa.	41816	355	336	19	15	4?		77						3	7	1		1	22
Langley Field, Va. (RH)	8772	350	332	18?	59			12?											2
Lee, Cp., Va. (RH)	32923	553	537	16	88	16		188		4	1		1		1				41
Patrick Henry, Cp., Va.	10734	470	446	24?	73	15?		141						3	15				15
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	64726	586	550	36	80	4?	6	76						4	5	5	1	3	627
MIL. DIST. OF WASH.	58246	593	559	34	131	15	1?	38		1				14	2	2	2		104
Belvoir, Ft., Va. (RH)	21589	591	552	39	161	36		51						13					13
Bolling Field, D. C.	5002	468	447	21?	52?	10?		21?						1					6
Myer, Ft., Va.	5859	915	853	62	178	9?		18?											5
Washington Gen. Disp., D. C.	9042	478	466	12?	190			12?											
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	16754	584	550	34	68		3?	50		1					1	2	2		80

FORM 56-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



VOLUME V REPORT NO. 44  
WEEK ENDING 2 Nov. 1945

# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	N'GOCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY.	
FOURTH SERVICE COMMAND	638415	443	411	32	72	14	3	73	6	11	5	1	6	144	34	11	4	6	1728
Benning, Ft., Ga. (RH)	35712	481	456	25	41	20	3?	51	6	4	2			12	1	1		1	26
Blanding, Cp., Fla. (RH)	31652	523	442	81	143	69	5?	48						42					38
Boca Raton Field, Fla.	7155	262	233	29?				51							1				1
Bragg, Ft., N. C. (RH)	57682	483	457	26		6		79						7	2				19
Butner, N. C. Exc. Gen. & Conv. Hosp.	13685	357	319	38	8?		4?	15?											
Croft, Cp., S. C.	13657	723	651	72	69	42	11?	76		1				9	2				12
Drew Field, Fla. (RH) #	30515	153	148	5?	20	5?	5?	31						3	2				3
Eglin Field, Fla. (RH)	7634	265	238	27?	41	7?		54						1					4
Gordon, Cp., Ga.	14072	683	650	33	70	11?	4?	196						1					10
Gordon Johnston, Cp., Fla.	8167	363	325	38	38			32?								1		1	16
Greensboro AAFORD, N. C.	24966	361	346	15	50	4?		42		1			2	1					5
Gulfport AAF, Miss.	5242	407	357	50?	60			109					1		1				
Jackson, Ft., S. C. (RH)	29605	393	367	26	21	4?	4?	166						1	1				15
Keesler Field, Miss. (RH)	26726	602	553	49	247	64		14				1		30					7
MacDill Field, Fla.	7916	329	322	7?	59			79							2				2
Maxwell Field, Ala. (RH)	13206	260	248	12?	4?	8?		32			2								6
McClellan, Ft., Ala. (RH)	34277	571	519	52	161	18	11	67		2			1	12	3				38
McPherson, Ft., Ga.	22039	587	573	14	68	2?		120		1				1	3				2
Oglethorpe, Ft., Ga.	11798	833	789	44	84	18?	4?	203						3					43
Orlando AAFTC, Fla. (RH)	6996	379	297	82	67			52								3	1	2	8

FORM 96-945 11 DEC. 1944

RESTRICTED

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

[illegible]

FORM SG-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES							ALL CAUSES	DISEASE		INJURY
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS					
FIFTH SERVICE COMMAND	185568	455	421	34	89	9	4	53		2	1	1	1	19	10	11	1	10	902	
Atterbury, Cp., Ind.	38631	423	415	8	36	3?	1?	55					1	2	1					
Baer Field, Ind.	5492	493	313	180	19?	9?		57			1			1		8		8		
Benj. Harrison, Ft., Ind.	5512	651	613	38?	330	19?		28?						2						
Breckinridge, Cp., Ky.	19467	340	321	19	13?			59							1					
Campbell, Cp., Ky.	25956	276	246	30	28	2?		54				1		1	4				2	
Knox, Ft., Ky., (RH)	34056	627	580	47	192	29	6?	61		2				10	3				19	
Patterson Field, Ohio	7228	525	511	14?	288	14?		50											19	
Wright Field, Ohio	10879	315	301	14?	100	5?		53						1						
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	38337	509	460	49	85	5?	15	42						2	1	3	1	2	862	
SIXTH SERVICE COMMAND	182772	428	401	27	63	9	2	48			2			16	26	9	8		810	
Chanute Field, Ill. (RH)	20711	324	296	28	83	10?	3?	25						4	1				5	
Chicago Gen. Disp., Ill.	5061	1131	1028	103	195	21?		216							2					
Grant, Cp., Ill.	28148	414	399	15	52	4?	6?	48						2	2				4	
McCoy, Cp., Wis.	23366	467	454	13	42	11?		45			1			2	5				11	
Scott Field, Ill. (RH)	16214	404	382	42	93	6?	6?	38						2					13	
Sheridan, Ft., Ill. (RH)	30956	493	485	8?	13	12		57						3	2				25	
Truax Field, Wis. (RH)	14124	582	497	85	125	7?		26											5	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	44192	299	277	22	62	8	1?	46			1			3	14	9	8		747	

FORM 56-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
SEVENTH SERVICE COMMAND	284112	508	481	27	92	8	3	68	2	8	2	1	2	32	12	8	5	2	1162
Buckley Field, Colo. (RH)	11246	559	550	9?	157	5?		14?		2				1					40
Crowder, Cp., Mo. (RH)	33939	396	385	11	74	12		43	1	3	1			6	5	1	1		31
F. E. Warren, Ft., Wyo., (RH)	12576	1096	1059	37	810	8?		289		1				1	3	1	1		31
Jefferson Bks., Mo.	18244	422	413	9?	60	31		160						10	1				4
Leavenworth, Ft., Kans.	15017	485	471	14?	17?	3?	7?	45						1	1	1	1		2
Leonard Wood, Ft., Mo. (RH)	20320	768	755	13?	148	5?	3?	120		1				1					71
Lincoln AAF, Nebr. (RH)	10372	386	346	40	85	25?	5?	40						5					19
Logan, Ft., Colo.	6578	759	759		40?	8?													
Lowry Field, Colo.	14199	326	311	15?	81		22	7?		1									5
McCook AAF, Nebr.	5235	229	199	30?	10?			40?											1
Pratt AAF, Kans.	5058	288	267	21?	41?			31?											4
Riley, Ft., Kans. (RH)	20924	410	378	32	82	10?		20					2	3		1		1	28
Sioux Falls AAF, S. Dak.	6163	447	405	42?	51	17?		34?						1					15
Smoky Hill AAF, Kans. (RH)	6032	310	284	26?				26?											7
Snelling, Ft., Minn.	6722	510	433	77	46			124	1										1
Topeka AAF, Kans.	6220	502	460	42?	117			67											4
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	85267	519	479	40	93	3?	4	60			1	1		3	2	4	2	1	889

RESTRICTED



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
EIGHTH SERVICE COMMAND	562971	458	429	29	83	10	4	49	3	9	6		5	87	23	10	7	3	1297
Amarillo AAF, Texas (RH)	12507	362	333	29	96	25		21?			1		2	3	2				2
Barksdale Field, La. (RH)	6765	592	577	15?	46	15?	23?	154						2					
Bliss, Ft., Texas	16761	552	549	3?	137		25	28	2										
Bowie, Cp., Texas	12735	412	388	24	37	16?		90						2	2				19
Chaffee, Cp., Ark.	27963	331	325	6?	61	7?	2?	35	1					4					15
Claiborne, Cp., La.	23231	416	385	31	13	2?		99						1		1	1		14
Ellington Field, Texas	7345	347	319	28?	85	7?		35?						1	1				10
Fannin, Cd., Texas	15079	459	442	17?	76	28		17?						8	1				9
Gruber, Cp., Okla.	11075	507	451	56	42	9?	5?	99						2	1				5
Hood, Cp., Texas	31783	470	452	18	100	5?	3?	41		2	2		1	3		1	1		8
Jos. T. Robinson, Cp., Ark.	30113	682	604	78	138	26		19						13					92
Kelly Field, Texas	9076	315	304	11?	74		11?	57											
Kirtland Field, N. Mexico	5051	412	371	41?	124			62											
New Orleans PoE, La.	22650	613	597	16	156	2?		184						1					2
Polk, Cp., La.	7536	531	531		62	7?		69						1					4
Randolph Field, Texas	10661	268	263	5?	68	29		34						6	1				9
San Houston, Ft., Texas	39137	496	484	12	15			7?											
San Antonio AAF, Texas (RH)	18892	317	300	17	22		3?	36					2			1		1	36
Sheppard Field, Texas (RH)	36074	698	673	25	140	17	4?	33		3				9	1				50
Sill, Ft., Okla.	18339	363	329	34	14?	20		23						7	1				4

FORM SG-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES										
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE		INJURY
EIGHTH SERVICE COMMAND(cont'd)																			
Swift, Cp., Texas	26214	316	304	12	60	6?		14						3	2				24
Wolters, Cp., Texas	14582	407	350	57	100	7?	4?	32						1					4
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	159402	428	388	40	82	8	7	54		4	3			20	11	7	5	2	990
NINTH SERVICE COMMAND	510239	461	424	37	86	9	5	39	4	23	7	1	3	59	16	13	7	6	1459
Beale, Cp., Calif.	35775	553	538	15	65	10	13	54	3					4					17
Cooke, Cp., Calif.	19946	214	193	21	31	8?	8?	21						3					9
Davis-Monthan Field, Ariz.(RH)	8945	250	238	12?	12?		6?	41											6
Douglas, Ft., Utah	7528	905	864	41	41	35?		14?						3					2
Fairfield-Suisun AAB, Calif.	6004	286	277	9?	61			26?											5
Gowen Field, Idaho	8623	314	290	24?	48	6?		12?			1			1					3
Hamilton Field, Calif. (RH)	11429	264	232	32	46			9?							1	3	2	1	5
Kearns AAFORD, Utah (RH)	16254	471	410	61	176	3?	16?	19				1							8
Las Vegas AAF, Nev.	8194	419	394	25?	89	19?	25?	51											1
Lawton, Ft., Wash.	15537	331	311	20	84	7?	3?	7?						2	2	2	2		3
Lewis, Ft., Wash.	37569	312	295	17	80			22	1	10					2				
Los Angeles PoE, Calif.	7330	809	774	35?	142	21?	21?	114											9
MacArthur, Ft., Calif.	12240	165	161	4?	4?														

FORM SG-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED



[illegible]

FORM SG-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

# WEEKLY HEALTH REPORT

## LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME V REPORT NO. 44  
WEEK ENDING 2 November 1945

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
Chicago Gen. Disp., Ill.	1131	1213	F. E. Warren, Ft., Wyo.	1059	1057	Baer Field, Ind.	180	307
F. E. Warren, Ft., Wyo.	1096	1068	Chicago Gen. Disp., Ill.	1028	1114	Chicago Gen. Disp., Ill.	103	99
Myer, Ft., Va.	915	1041	Douglas, Ft., Utah (1) (2)	864	864	Truax Field, Wis.	85	49
Douglas, Ft., Utah (1) (2)	905	905	Myer, Ft., Va.	853	988	Orlando AAFTC, Fla.	82	66
Aberdeen Prov. Grd., Md.	844	801	Aberdeen Prov. Grd., Md.	830	771	Blanding, Cp, Fla.	81	67
Oglethorpe, Ft., Ga.	833	934	Oglethorpe, Ft., Ga.	789	917	Jos. T. Robinson, Cp., Ark.	78	57
Los Angeles PoE, Calif.	809	657	Los Angeles PoE, Calif.	774	616	Snelling, Ft., Minn.	77	257
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000		
Aberdeen Prov. Grd., Md.	378	311	Blanding, Cp., Fla.	69	25	Eliss, Ft., Texas	25	-
Benjamin Harrison, Ft., Ind.	330	452	Keesler Field, Miss.	64	43	Lowry Field, Colo.	22	21
F. E. Warren, Ft., Wyo.	310	315	Croft, Cp., S. C.	42	69	Beale, Cp., Calif.	13	57
Patterson Field, Ohio	288	212	Belvoir, Ft., Va.	36	20	McClellan, Ft., Ala.	11	107
Keesler Field, Miss.	247	160	Roberts, Cp., Calif.	33	25			
Chicago Gen. Disp., Ill.	195	197	Jefferson Bks., Mo.	31	137	No Other Station With Six		
Knox, Ft., Ky.	192	173	Knox, Ft., Ky.	29	17	Or More Cases.		
VENEREAL (EXCLUDING EPTS) ANNUAL ADMISSION RATE PER 1000			DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000			(1) Reception Center or Station: See Nature of the Data		
F. E. Warren, Ft., Wyo.	289	289	F. E. Warren, Ft., Wyo.	1059	1057	(2) Separation Center See Nature of the Data		
Chicago Gen. Disp., Ill.	216	247	Chicago Gen. Disp., Ill.	1028	1114	(3) Redistribution Station: See Nature of the Data		
Rucker, Cp., Ala.	207	337	Douglas, Ft., Utah (1) (2)	864	857	Note: When the current week's data for a station have not been received and the previous week's data are used instead, the rates for this station are not reported in this table if they were so shown in last week's report.		
Oglethorpe, Ft., Ga.	203	209	Myer, Ft., Va.	853	988			
Gordon, Cp, Ga.	196	176	Oglethorpe, Ft., Ga.	789	913			
Lee, Cp., Va.	188	177	Aberdeen Prov. Grd., Md.	787	764			
New Orleans PoE, La.	184	282	Los Angeles PoE, Calif.	774	608			

FORM SG-396E, 12 NOVEMBER 1943

\*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Influenza.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

RESTRICTED



# WEEKLY HEALTH REPORT

RESTRICTED

VOLUME V REPORT NO. 44  
WEEK ENDING 2 November 1945

## LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<p><u>POLIOMYELITIS (3)</u> 1-Lovell GH, Mass. 1-FW Cp No. 2, Tenn. 1-Patterson Field, Ohio</p> <p><u>FILARIASIS (1)</u> 1-Edwards GH, Mass.</p> <p><u>ENCEPHALITIS (2)</u> 2-Barksdale Field, Ia.</p> <p>STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASE IS BEING EMPLOYED IN SOME OR ALL OF UNITS</p> <p>NONE</p>	<p><u>DIPHTHERIA (7)</u> 1-Cushing GH, Mass. 1-Halloran GH, N. Y. 1-Kilmer, Cp, N. J. 1-Strategic Ser. Unit, D. C. 1-Baer Field, Ind. 1-Chicago Gen Disp, Ill. 1-McCoy, Cp, Wis.</p> <p><u>UNDULANT FEVER (1)</u> 1-Northington GH, Ala.</p>	<p><u>AMEBIC DYSENTERY (24)</u> 1-Devens, Ft, Mass. 2-Lovell GH, Mass. 1-Rhoads GH, N. Y. 1-Bolling Field, D. C. 1-Walter Reed GH, D. C. 1-Asheville, N. C. Comm. System 1-Benning, Ft, Ga. 1-Gordon, Cp, Ga. 2-McPherson, Ft, Ga. 1-Shelby, Cp, Miss. 1-Atterbury, Cp, Ind. 1-Vaughan GH, Ill. 1-Buckley Field, Colo. 1-Crowder, Cp, Mo. 1-Jefferson Bks, Mo. 1-Leavenworth, Ft, Kans. 2-Beale, Cp, Calif. 2-Mitchell C H, Calif. 1-Santa Ana, Calif.(RH)(CH) 1-Santa Barbara, Calif. Redist. Station</p> <p><u>ANKYLOSTOMIASIS (9)</u> 6-Vaughan GH, Ill. 1-Brooke GH, Texas 2-Walters, Cp, Texas</p>	<p><u>SCABIES (351)</u> 216*-Dix, Ft, N. J. 24-Benning, Ft, Ga. 28-Shelby, Cp, Miss. 29-Grant, Cp, Ill. 27-Carson GH, Colo. 27-Leavenworth, Ft, Kans. *216 treated as outpatients.</p> <p><u>TYPHUS FEVER (2)</u> 1-Grand Island AAF, Nebr. 1-Will Rogers Field, Okla.</p>	<p><u>COCCIDIOIDOMYCOSIS (11)</u> 1-Beale, Cp, Calif. 1-Dibble GH, Calif. 1-Florence, Ariz. FW Cp. 2-Winter Field, Calif. 1-Ord, Ft, Calif. 4-Roberts, Cp, Calif. 1-Santa Ana, Calif.(RH)(CH)</p> <p><u>PARATYPHOID FEVER (1)</u> 1-Leavenworth, Ft, Kans.</p>	<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <p><u>STREPTOCOCCAL SORE THROAT</u> 16-Kearns AAFORD, Utah</p> <p><u>M'COCCIC MENINGITIS</u> AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</p> <p>1-Kearny AAB, Nebr.</p>
---	--	---	--	--	---

FORM 98-902-8 July 1944

RESTRICTED


ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

# MORBIDITY FROM VENEREAL DISEASES

## TOTAL ARMY

CONTINENTAL UNITED STATES

ANNUAL RATE OF ADMISSION PER 1000 STRENGTH



RESTRICTED




## ANALYSIS OF VENEREAL DISEASE DATA

This report, covering the four-week period ended 28 September 1945, presents an analysis of incidence of the venereal diseases among colored males and all other personnel for all units in the continental United States which submit Statistical Health Reports (WD AGO Forms 8-122). Data are shown for individual stations where the colored male strength was 1000 or more; for other units in each service command the data are shown in total only.

The chart on page 25 shows morbidity from venereal diseases in the Army as a whole. It will be noted that the effect of "EPTS" cases on the admission rate from these causes has diminished rapidly, so that "EPTS" admissions in September represented 7 percent of all venereal disease admissions, as contrasted with 17 percent in January 1945, and 48 percent in January, 1944.


The admission rate for venereal diseases acquired after entry into service increased in September to 57 per thousand troops per year, 8 percent higher than the August rate. Syphilis admissions increased in September to 6 per thousand troops per year from a rate of 5 per thousand in August, while the rate for gonorrhea moved from 47 per thousand in August to 50 in September. The rate for other venereal diseases remained at 1 per thousand.



# MORBIDITY FROM VENEREAL DISEASES COLORED MALES

CONTINENTAL UNITED STATES

ANNUAL RATE OF ADMISSION PER 1000 STRENGTH






# MORBIDITY FROM VENEREAL DISEASES ALL OTHER PERSONNEL THAN COLORED MALES

CONTINENTAL UNITED STATES

ANNUAL RATE OF ADMISSION PER 1000 STRENGTH



RESTRICTED


## ANALYSIS OF VENEREAL DISEASE DATA (CONT'D)

The venereal disease non-effective rate for all troops in September was 0.70 per thousand troops per day (as compared with 0.66 in August); the rate for colored males was 4.86 per thousand (4.68 in August), while that for other personnel was 0.43 per thousand, as compared with 0.41 in August. Non-effectiveness due to venereal diseases has not reflected the increases to be observed in admission rates since January, 1945. While decreases in the number of days lost per case, and increases in the proportion of venereal disease cases treated on a "duty status" have contributed significantly to the maintenance of a comparatively stable non-effective rate despite the rising admission rate, it is evident that the decreasing number of EPTS cases (which are not, in general, treated on "duty status") has also tended to compensate for the effect of the rising admission rate on the total number of days lost.

The charts on pages 26 and 27 show morbidity from venereal diseases among colored males and other Army personnel. Rates for all venereal diseases (excluding EPTS) increased by 8 percent among colored males in September to reach 333 admissions per thousand troops per year, while the comparable rate for other personnel reached 38 admissions per thousand troops, an increase of 6 percent during the month. The annual admission rate for syphilis among personnel other than colored males increased from 3 per thousand to 4 per thousand during September, while among colored males the rate remained at 34. An

### VENEREAL DISEASE ADMISSION RATES (EXCLUDING EPTS CASES)

FOR THE FOUR WEEK PERIOD ENDING 28 SEPTEMBER 1945  
ANNUAL RATE OF ADMISSION PER 1000 STRENGTH





## ANALYSIS OF VENEREAL DISEASE DATA (CONT'D)

increase of 8 percent over the August rate for gonorrhea among colored males resulted in 284 admissions per 1000 colored male troops per year, while gonorrhea admissions among other personnel increased by 3 percent to reach 34 per thousand. No increase in admissions for other venereal diseases among other than colored male personnel is observed; however, the rate among colored male personnel increased from 12 per thousand per year in August to 15 in September.

Among service commands, admission rates for syphilis (other than EPTS) for colored males ranged from 13 per thousand per annum (3 cases among 2973 colored male troops) in the Military District of Washington and 23 per thousand in the Seventh Service Command to 72 per thousand in the First Service Command. However, the largest increase in this rate during the month (21 percent) occurred in the Seventh Service Command; other increases were reported in the First and Third Service Commands (9 percent), the Fourth Service Command (8 percent), and the Sixth Service Command (6 percent). Increases in the rate for syphilis among other troops were observed in the Second, Third, Fourth, Sixth, and Military District of Washington; highest morbidity (7 per thousand per annum) was reported by the Third Service Command.

Morbidity from gonorrhea (excluding EPTS cases) decreased among personnel other than colored males during September in the First, Fourth, Seventh and Ninth Service Commands. Increases of more than 10 percent were noted in the Fifth Service Command, and the Military District of Washington. Morbidity among service commands ranged from 19 per thousand per annum in the Military District of Washington to 55 per thousand in the Fifth Service Command.

Highest morbidity for gonorrhea (excluding EPTS) among colored males was reported from the Military District of Washington and Third Service Command (372 and 357 per thousand, respectively), while the lowest rate was noted in the First Service Command (144 per thousand). Increases of more than 20 percent took place in the Third, Fourth, and Sixth Service Commands, while the rate increased 18 percent in the Fifth Service Command. The rate decreased by 27 percent in the First Service Command and 12 percent in the Eighth Service Command.

# VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

TOTAL ARMY IN CONTINENTAL UNITED STATES

VOLUME V REPORT NO. 44

SERVICE COMMAND	1945 MONTH* 1945											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.82	.83	.80	.76	.70	.68	.67	.66	.70			
FIRST SERVICE COMMAND	1.4	1.4	1.4	1.2	1.3	1.3	1.1	1.1	1.1			
SECOND SERVICE COMMAND	1.0	.9	.7	.8	.6	.5	.5	.6	.7			
THIRD SERVICE COMMAND	1.8	1.6	1.2	1.1	1.0	1.0	1.0	.9	1.2			
MIL.DIST.OF WASHINGTON	.9	.6	.6	.6	.8	.8	.6	.7	.7			
FOURTH SERVICE COMMAND	.7	.8	.8	.8	.8	.8	.7	.6	.7			
FIFTH SERVICE COMMAND	1.0	1.0	1.0	.9	1.0	.8	.9	.7	.8			
SIXTH SERVICE COMMAND	.8	.8	.6	.8	.7	.5	.5	.6	.6			
SEVENTH SERVICE COMMAND	.4	.3	.3	.3	.3	.4	.5	.6	.6			
EIGHTH SERVICE COMMAND	.8	.9	.9	.8	.6	.6	.7	.7	.7			
NINTH SERVICE COMMAND	.6	.7	.7	.7	.6	.6	.6	.6	.6			
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	69621	67544	78652	59933	55977	69934	60073	80908	70007			
FIRST SERVICE COMMAND	3342	3201	3655	2737	2864	3963	3134	3927	3572			
SECOND SERVICE COMMAND	5281	4836	4490	3722	3069	3642	3170	4888	4866			
THIRD SERVICE COMMAND	9032	7889	7833	5687	5532	6813	6015	7650	7416			
MIL.DIST.OF WASHINGTON	1273	931	1020	812	1161	1409	908	1354	1264			
FOURTH SERVICE COMMAND	15597	15579	19561	16001	15063	19069	14692	17809	15316			
FIFTH SERVICE COMMAND	3716	3720	4710	3753	3890	4020	4529	5029	4210			
SIXTH SERVICE COMMAND	2245	2243	2201	2302	2273	2317	2260	4021	3195			
SEVENTH SERVICE COMMAND	2781	2258	2926	2043	2250	4259	4027	7364	6483			
EIGHTH SERVICE COMMAND	17252	17513	21744	14202	11872	13814	12152	17340	13579			
NINTH SERVICE COMMAND	9102	9374	10512	8674	8003	10628	9186	11636	10106			

\*By "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡



# VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

## COLORED MALES IN ARMY IN CONTINENTAL UNITED STATES

VOLUME V REPORT NO 44

SERVICE COMMAND	1945 MONTH* 1945											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	5.14	5.20	4.98	4.71	4.56	4.74	5.03	4.68	4.86			
FIRST SERVICE COMMAND	5.6	5.9	5.9	5.7	6.5	8.1	7.5	8.5	12.7			
SECOND SERVICE COMMAND	6.6	6.0	5.0	5.4	4.3	3.8	3.4	5.0	5.8			
THIRD SERVICE COMMAND	9.3	9.2	6.5	5.1	5.1	5.2	6.0	5.5	7.7			
MIL.DIST.OF WASHINGTON	11.6	9.2	8.5	9.6	12.5	14.3	10.4	13.1	7.1			
FOURTH SERVICE COMMAND	4.5	4.6	4.6	4.7	4.6	5.5	5.6	4.8	4.8			
FIFTH SERVICE COMMAND	4.7	4.1	5.0	3.6	5.3	4.9	6.4	5.3	4.0			
SIXTH SERVICE COMMAND	9.8	15.6	10.4	12.4	10.0	6.9	7.3	7.0	3.8			
SEVENTH SERVICE COMMAND	2.6	2.0	2.0	1.4	1.5	1.2	2.2	3.2	3.4			
EIGHTH SERVICE COMMAND	5.5	6.4	7.1	6.3	5.8	5.3	6.7	5.8	4.4			
NINTH SERVICE COMMAND	3.0	2.6	3.3	3.5	3.2	3.6	3.5	2.8	3.8			
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	30293	29431	33869	25615	24497	31769	26990	33607	30359			
FIRST SERVICE COMMAND	1958	1882	1900	1365	1374	1698	1203	1551	1664			
SECOND SERVICE COMMAND	2889	3068	2668	2237	1785	1885	1256	2376	2260			
THIRD SERVICE COMMAND	5812	5344	4889	3155	3205	3800	3413	3893	4521			
MIL.DIST.OF WASHINGTON	502	395	437	363	447	648	372	585	594			
FOURTH SERVICE COMMAND	7160	7788	9472	7675	7370	10634	7907	8958	7477			
FIFTH SERVICE COMMAND	1239	925	1251	698	1071	1266	1367	1413	896			
SIXTH SERVICE COMMAND	580	914	834	952	847	817	784	1133	613			
SEVENTH SERVICE COMMAND	1076	809	1149	713	767	788	1339	2671	2535			
EIGHTH SERVICE COMMAND	5978	5955	7635	5466	5021	5871	5750	7019	5691			
NINTH SERVICE COMMAND	3099	2351	3634	2991	2610	4362	3599	4008	4108			

\*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION

# VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

ARMY EXCLUSIVE OF COLORED MALES, CONTINENTAL UNITED STATES

VOLUME V REPORT NO. 44

SERVICE COMMAND	1945 MONTH* 1945											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.50	.51	.49	.47	.42	.39	.39	.41	.43			
FIRST SERVICE COMMAND	.7	.7	.7	.7	.7	.8	.7	.7	.6			
SECOND SERVICE COMMAND	.5	.4	.3	.3	.3	.3	.3	.3	.4			
THIRD SERVICE COMMAND	.7	.6	.5	.5	.5	.5	.5	.5	.5			
MIL.DIST.OF WASHINGTON	.5	.4	.3	.3	.5	.4	.4	.4	.4			
FOURTH SERVICE COMMAND	.4	.4	.5	.5	.4	.4	.3	.3	.4			
FIFTH SERVICE COMMAND	.7	.8	.8	.8	.7	.5	.7	.5	.6			
SIXTH SERVICE COMMAND	.6	.5	.4	.5	.5	.3	.3	.5	.5			
SEVENTH SERVICE COMMAND	.2	.2	.2	.2	.2	.4	.3	.4	.4			
EIGHTH SERVICE COMMAND	.6	.6	.6	.5	.4	.4	.4	.4	.4			
NINTH SERVICE COMMAND	.5	.6	.5	.5	.4	.4	.4	.4	.4			
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	39328	38113	44783	34361	31480	38165	33083	47301	39648			
FIRST SERVICE COMMAND	1384	1319	1755	1372	1490	2265	1931	2376	1908			
SECOND SERVICE COMMAND	2392	1768	1822	1485	1284	1757	1914	2512	2606			
THIRD SERVICE COMMAND	3220	2545	2944	2532	2327	3013	2602	3657	2895			
MIL.DIST.OF WASHINGTON	771	536	583	449	714	761	536	769	670			
FOURTH SERVICE COMMAND	8437	7791	10089	8369	7693	8435	6785	8851	7839			
FIFTH SERVICE COMMAND	2477	2795	3459	3055	2819	2754	3162	3616	3314			
SIXTH SERVICE COMMAND	1665	1329	1367	1350	1426	1500	1476	2888	2582			
SEVENTH SERVICE COMMAND	1705	1449	1777	1330	1483	3471	2688	4683	3948			
EIGHTH SERVICE COMMAND	11274	11558	14109	8736	6851	7943	6402	10321	7888			
NINTH SERVICE COMMAND	6003	7023	6878	5683	5393	6266	5587	7628	5998			

\*By "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION



## VENEREAL DISEASE ADMISSION RATES<sup>†</sup>

RESTRICTED

VOLUME V REPORT NO. 44 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER  
FOR THE 4 WEEK PERIOD ENDING 28 September 1945

SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTSCASES *												TOTAL EPTS CASES		
	SYPHILIS			GONORRHEA			OTHER			TOTAL							SYPHILIS			GONORRHEA			OTHER			TOTAL					
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER			
TOTAL UNITED STATES	6	34	4	50	284	34	1	15	0	57	333	38	4	43	2	THIRD SERVICE COMMAND	9	36	7	66	357	36	2	16	0?	77	409	43	16	148	3
																Aberdeen ProvGrd, Md.	3?	19?	2?	55	360	27	1?	10?		59	389	29	2?		3?
FIRST SERVICE COMMAND	7	72	5	26	144	21	3	50	2	36	266	28	1	14?	0?	Hampton Roads PoE, Va.	6?	22?		125	379	21				131	401	21			
																Lee, Cp., Va.	6	10	3	107	257	24	3	7		116	274	27	0?	1?	
Boston PoE, Mass.	24	139	11	24	118	13	18	111	7	66	368	31				Stations under 1000															
Colored Strength	4	28	4	27	162	23	1	9?	1?	32	199	28	1	23?	0?	Colored Strength	11	107	8	57	592	39	2	45	0?	70	744	47	22	592	3
																MIL. DIST. OF WASH.	2	13?	2	36	372	19	0?		0?	38	385	21			
SECOND SERVICE COMD.	8	54	6	41	274	26	2	20	0	51	348	32	3	45	1																
																Belvoir, Ft., Va.	2?	6?	2?	58	356	26				60	362	28			
Dix, Ft., N. J.	4	35	3	30	195	22	0?		0?	34	230	25	9	167	2	Stations under 1000															
Kilmer, Cp., N. J.	38	96	27	49	212	17	1?	5?		88	313	44				Colored Strength	2	31?	2?	24	412	15	0?		0?	26	443	17			
New York PoE, N. Y.				66	196	17				66	196	17																			
Shanks, Cp., N. Y.	46	102	39	42	165	25	25	165	7?	113	432	71				FOURTH SERVICE COMD.	6	39	4	55	349	34	2	20	0	63	408	38	4	50	1
Stations under 1000	6	54	3	47	365	31	1	17	0?	54	436	34																			
Colored Strength																															
																Benning, Ft., Ga.	8	26	5	52	141	38	4	21	1?	64	188	44	24	172	
																Blanding, Cp., Fla.	3	37	1?	26	235	16	1?	25?		30	297	17	9	161	2
																Bragg, Ft., N. C.	7	36	4	84	495	44	7	61	2	98	592	50	27	282	1?
																Charleston PoE, S.C.	21?	37?	13?	21?	49?	6?				42	86	19?			
																Drew Field, Fla.	5	32?	4	27	253	16				32	285	20			
																Gordon Johnson, Cp., Fla.	5?	29?								5?	29?				

FORM SG-727 REVISED 17 February 1945

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)  
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION

RESTRICTED



# VENEREAL DISEASE ADMISSION RATES<sup>†</sup>

RESTRICTED

VOLUME V REPORT NO. 44 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER  
FOR THE 4 WEEK PERIOD ENDING 28 September 1945

SERVICE COMMAND AND STATION  (CONTD) FOURTH SERVICE CMD.	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES		
	SYPHILIS			GONORRHEA			OTHER			TOTAL							SYPHILIS			GONORRHEA			OTHER			TOTAL					
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER			
Jackson, Ft., S. C.	5	49?	3?	89	1111	34	3	49?	1?	97	1209	38				SEVENTH SERVICE CMD.	5	23	4	53	204	41	1	9	0?	59	236	45	2	3	1
MacDill Field, Fla.	21	58	6?	86	223	28	3?	9?		110	290	34																			
McClellan, Ft., Ala.	3	6?	2?	68	206	18	1?	4?		72	216	20	5	7?	4	Crowder, Cp., Mo.	3	19	2?	35	144	23	0?	3?		38	166	25			
McPherson, Ft., Ga.	16	95	9	115	626	70	0?	5?		131	726	78	5		56	Francis E. Warren, Ft. Wyo.	3?	6?		107	190	19	5	10		115	206	19			
Shelby, Cp., Miss.	12	146	7	83	1296	41	5	146	1?	100	1588	49	2		2	Leonard Wood, Ft. Mo.	17	55	10	89	263	54	3	18		109	336	64	1?	5?	
Tuskegee, Ala.	19?	20?		78	81					97	101					Stations under 1000 Colored Strength	5	27	4	48	216	44	0?	4?	0?	53	247	48	2	8?	2
Stations under 1000 Colored Strength	5	44	3	49	429	35	1	17	0?	55	490	38	1	3?	0																
																EIGHTH SERVICE CMD.	5	35	3	49	283	33	1	9	0	55	327	36	5	31	3
FIFTH SERVICE COMMAND	6	24	5	65	285	55	1	6	0	72	315	60	9	110	5																
																Chaffee, Cp., Ark.	16	243	7	50	71	49				66	314	56	35	465	18
Knox, Ft., Ky.	2?	4?	1?	54	207	40	1?	12?	0?	57	223	41	2	8?	2?	Claiborne, Cp., La.	4	13	1?	51	138	15	3	12		58	163	16			
Station under 1000 Colored Strength	7	38	6	67	336	59	0	3?	0?	74	377	65	11	178	5	Gruber, Cp., Okla.	11	85	5?	100	485	64				111	570	69			
																Kelly Field, Texas	1?	6?		60	321	25	1?	6?		62	333	25			
																Livingston, Cp., La.	7	19	4?	96	395	16				103	414	20	2?	9?	
SIXTH SERVICE COMMAND	4	34	4	50	244	44	0?		0?	54	278	48	3	69	1	New Orleans PoE, La.	5	10	2?	94	211	21	7	17		106	238	23			
																Sheppard Field, Texas	2	14	1?	20	123	7				22	137	8			
Grant, Cp., Ill.	5	22?	3	31	57	28	0?		0?	36	79	31				Tinker Field, Okla.	4?	9?	2?	124	417	45				128	426	47			
Stations under 1000 Colored Strength	4	47	4	55	444	48	0?		0?	60	491	52	4	142	1	Stations under 1000 Colored Strength	5	57	3	45	409	35	1	11	0	51	477	38	4	56	2

FORM SG-727 REVISED 17 February 1945

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)  
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION

RESTRICTED



## RESTRICTED

FORM SG-727 REVISED 17 February 1945

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION

35

